

## SAMPLE IDENTIFICATION

|             |                             |                 |                                 |
|-------------|-----------------------------|-----------------|---------------------------------|
| Peptide:    | <b>L-Glutathione</b>        | Date Requested: | <b>Jul 9, 2026</b>              |
| Client:     | <b>BioStride Canada</b>     | First Acquired: | <b>Jul 9, 2026 10:42:30 EDT</b> |
| Sample ID:  | <b>JGE-LGLU-1500-070926</b> | Date Tested:    | <b>Jul 31, 2026</b>             |
| Lot Number: | <b>07092026GTT</b>          | Date Reported:  | <b>Aug 6, 2026</b>              |

## HPLC-UV PURITY & CONTENT ANALYSIS

|                                       |                           |                         |                               |
|---------------------------------------|---------------------------|-------------------------|-------------------------------|
| Expected Content<br><b>1500.00 mg</b> | Mass<br><b>1426.83 mg</b> | Purity<br><b>99.69%</b> | Fill Accuracy<br><b>95.1%</b> |
|---------------------------------------|---------------------------|-------------------------|-------------------------------|




Fig. 1 - HPLC-UV Chromatogram at 214nm



## Appearance

|             |                                 |
|-------------|---------------------------------|
| Appearance: | <b>White Lyophilized Powder</b> |
| Cap Color:  | <b>Black</b>                    |

## BACTERIAL ENDOTOXIN TEST (USP <85>)

| Method                 | Result        | Specification  | Verdict     |
|------------------------|---------------|----------------|-------------|
| Kinetic LAL (USP <85>) | < 0.125 EU/mL | <= 0.125 EU/mL | <b>PASS</b> |

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

Laboratory identity and applicable credentials are maintained by Testides and are available to regulatory authorities where required by law.



Digital Verification